

Arbiton
FLOOR EXPERT

FLOOR PROFILES



25 YEARS OF INVESTING IN FUTURE


Innovation, quality and know-how – since 1994 we've been investing in knowledge, technology and our machinery park. Over 25 years we create and improve our product portfolio. We aim to become market LEADER wherever we are present.



25
years
AS EXPERTS



We provide solutions
for the most demanding
floor users.



We share
experience
and set
trends.

WE ARE THE **FLOOR EXPERT**

SYSTEMS

COLOR SYSTEM

3 most universal shapes and 33 colors matched for the most popular floors and Arbiton skirting boards.

	Width	Wood	Anode	Inox	Screw fix	Glue fix	Max dilatation	Max leveling	Page
COLOR SYSTEM									
CS1	37 mm	+	+	-	+	+	31 mm	17 mm	14
CS3	30 mm	+	+	-	+	+	24 mm	6 mm	15
CS22	22 mm	+	+	-	-	+	16 mm	-	16



PRO SYSTEM


Precise, minimalistic solution for professionals, 6 shapes correspond to 98% of needs.

	Width	Wood	Anode	Inox	Screw fix	Glue fix	Max dilatation	Max leveling	Page
PRO SYSTEM									
PRO20	20 mm	-	-	+	-	+	10 mm	-	22
PRO T	22 mm	-	-	+	-	+	16 mm	-	23
PRO26	26 mm	-	-	+	-	+	10 mm	6 mm	24
PRODUO22	22 mm	-	-	+	+	+	16 mm	-	25
PRODUO38	38 mm	-	-	+	+	+	32 mm	16 mm	26
PRO L	15/20 mm	-	-	+	-	+	15 mm	-	27





COMPLEMENTARY OFFER

traditional shapes, proven solutions.

		Width	Wood	Anode	Inox	Screw fix	Glue fix	Max dilatation	Max leveling	Page
DILATATION PROFILES										
	T16	16 mm	+	+	-	-	+	10 mm	-	30
	FL16	16 mm	+	+	-	-	+	10 mm	-	31
	SM1	30 mm	+	+	-	+	-	24 mm	-	32
	PR3	30 mm	-	+	-	+	-	24 mm	-	33
	PR3K	30 mm	+	+	-	-	+	24 mm	-	34



LEVELING PROFILES										
	PR8	38 mm	-	+	-	+	-	32 mm	10 mm	35
	SM2	41 mm	+	+	-	+	-	35 mm	13 mm	36
	SM3	47 mm		+	-	+	-	41 mm	17 mm	37
	PR4	48 mm	-	+	-	+	-	42 mm	14 mm	38
	PR10	70 mm	+	+	-	+	-	64 mm	10 mm	39

FINISHING PROFILES										
	PS1K	25 mm	+	+	-	-	+	20 mm	-	40

STAIRS PROFILES										
	CS2	25 mm	+	+	-	-	+	-	-	41
	PS2	25 mm	-	+	-	+	-	-	-	42
	PS8	40 mm	-	+	-	+	-	-	-	43
	PS6	46 mm	-	+	-	+	-	-	-	44




FOUR GROUPS OF PROFILES DEPENDING ON THE PURPOSE



DILATATION PROFILES FLOOR AT THE SAME LEVEL

they are used to connect floors at the same level. You can connect with them any type of floor, eg laminated panel with a ceramic tiles. A wide range of colors available profiles allows you to match color to any floors. You can also choose a profile in silver or titanium



LEVELING PROFILES FLOORS AT DIFFERENT LEVEL

they are used to connect floors with different level. Often it happens that exchanging part of the floor in the apartment, we will get a difference in level in relation for already installed floor coverings. The differences are usually small, several millimeters, however, to aesthetically eliminate them it is necessary to choose the right profile.



FINISHING PROFILES

they are used to finish the floors, mask the dilatation gap, in places where it is not covered eg by skirting board. It's about niches at the entrance or balcony door.



STAIRS PROFILES

They are used to finish the edges of steps. Some profiles of this type have an additional layer non-slip to ensure a safe finish stairs.

SYMBOLS



MAX DILATATION: __mm

This information shows maximum gap between floors, that particular profile can cover. For floor dilatation – look floor producers recommendations.



PROFI SOLUTION

Profiles for the most demanding clients. Professional assembly systems, narrow and extra flat solutions.



MAX LEVELING: __mm

This information shows maximum height difference between floors, that particular profile can cover. When calculating the height, always count the whole flooring system – floor + underlay/glue.



INOX COLOR

New Arbiton color. Inox is a brushed steel in two shades. Perfect match to house fittings like door or window handles.



SUPER FLAT

From designers point of view, best profile is the flattest and smoothest one. Arbiton delivers new, extra flat solution, perfect even for the most demanding clients.



DILATATION GLUE

Special hot melt glue formula for profiles. Floor profile stays strongly fitted but allows floor to expand and contract.



SCREWS - SAFE FOR DIY

Traditional, metal screws can easily damage the profile during installation. Also visible screw head appears on surface of the profile. With Arbiton PCV screws floor profiles can be installed with no worries, even without any experience – perfect for DIY.



SILICONE BARRIER

Silicone layer added to all Arbiton screw fix profiles, to protect against dirt getting under the profile.



COLOR SYSTEM


The most universal system of floor profiles

There are 33 colors suited to the best-selling laminated panels and LVT / RIGID floors in COLOR SYSTEM offer. 3 maximum universal shapes. CS1 profile dedicated to large level differences, can be also used as an ending eg at the balcony door.

CS3 is a super flat profile that works well in the most common situations - dilatation in the door, or the most common difference in levels up to 6mm. It works great as a finish at the balcony door.

The offer is supplemented by a narrow and flat CS22 profile for almost invisible connection area with the same level. The offer is directed to self-service points and professionals looking for the perfect color matching. COLOR SYSTEM is the certainty of a good choice

UNIVERSAL SOLUTION



PERFECTLY MATCHED PROFILE AND SKIRTING BOARDS



INDO



LARS



MACK

CERTAINTY OF A GOOD CHOICE

40 | White

25 | Snow Oak

19 | Ontario Oak

41 | Girona Oak

16 | Caucasian Oak

42 | Bolton Oak

26 | Buffalo Oak

27 | Boston Oak

02 | Northern Ash

43 | Platinum Oak

46 | Philadelphia Oak

48 | Selma Oak

03 | Loft Oak

20 | Burgos Oak

33
COLORS

44 | Sandy Oak

04 | Lingburg Oak

09 | Manorial Oak

47 | Antique Oak

07 | Liberty Oak

30 | Davos Oak

29 | Santana Oak

50 | Canberra Oak

31 | Odessa Oak

32 | Nebraska Oak

39 | Corona Oak

11 | Holm Oak

12 | Dark Oak

49 | Tasmanian Oak

14 | Wenge Africa

23 | Modena Oak

45 | Concrete

A1 | Silver

A2 | Gold

A3 | Titan


PERFECTLY MATCHED PROFILE AND SKIRTING BOARDS

The choice of accessories has never been so simple. Now you can choose a skirting boards and profile in the same color. COLOR SYSTEM PROFILES are matched to all slats from the INDO, LARS and MACK collections

COLOR SYSTEM - PERFECT MATCH

INDO

PERFECTLY IMITATING THE REAL WOOD



LARS

THE IDEAL COLOUR AND DESIGN MATCH




MACK

WIDE INSTALLATION CHANNEL



PROFILE AND SKIRTING IN ONE COLOR MATCHED TO THE FLOOR



INDO	01 White	-	19 Ontario Oak	25 Girona Walnut	16 Caucasian Oak	-
LARS	40 White mat	-	25 Snow Ash	-	16 Holm Oak	-
MACK	40 White mat	-	107 Bolton Oak	-	16 Caucasian Oak	-



INDO	103 Havana Oak	-	02 Northern Ash	135 Platinum Oak	131 Philadelphia Oak	140 Selma Oak
LARS	-	-	-	44 Platinum Oak	-	50 Scandinavian Oak
MACK	02 Northern Ash	-	-	135 Platinum Oak	131 Philadelphia Oak	-



INDO	42 Sand Oak	20 Burgos Oak	-	4 Lingburg Oak	10 Bourbon Oak	07 Liberty Oak
LARS	42 Arena Oak	03 Norwegian Oak	-	4 Alpen Oak	46 Golden Oak	-
MACK	-	03 Loft Oak	42 Arena Oak	4 Lingburg Oak	-	136 Antique Oak



INDO	-	-	06 Laplant Oak	-	05 Windston Oak	29 Lutea Oak
LARS	-	-	09 Noble Oak	-	-	47 Tatra Oak
MACK	-	-	86 Laplant Oak	130 Canberra Oak	-	132 Edmonton Oak



INDO	-	11 Holm Oak	12 Dark Oak	140 Tasmania Oak	14 Wenge Africa	23 Modena Oak
LARS	-	-	12 Brazilian Walnut	-	14 Wood Wenge	-
MACK	-	-	-	-	14 Wood Wenge	-



INDO	33 Oxford	41 Light Alu	134 Cambridge
LARS	-	41 Light Alu	-
MACK	-	41 Light Alu	-

COLOR SYSTEM

CS1

MOST UNIVERSAL PROFILE IN THE MARKET



CS3

MOST POPULAR



CS22

DILATATION PRPFIE




COLOR SYSTEM

Additional accessories in the set with CS1 i CS3


CONNECTOR

- The connector allows for connection of two or more profiles
- Simple installation
- Profile connection is more stable



BRIDGE

- The bridge allows for finishing the floor next to the wall, balcony doors.
- Stable support of the profile next to the wall
- A universal height – possibility to match up to 4-22 mm by cutting the bridge
- Quick and simple installation – just slide the bridge in the profile




DuoFix:

1 product - 2 ways of installation

The Color SYSTEM profiles can be fixed in two ways: DOWEL OR GLUE (IN THE SET)



- SAFE FOR DIY



- DILATATION GLUE

COLOR SYSTEM

CS1





37 mm









3 in 1

- DILATATION
- LEVELING
- FINISHING





MAX
LEVELING
17mm


MAX
DILATATION
31mm

DILATATION
GLUE


SCREWS
SAFE FOR DIY


DIMENSIONS










CS3



DIMENSIONS





COLOR SYSTEM

CS22



DIMENSIONS



COLOR SYSTEM

CS1

KOLOR	0,93 m
A1	5905167769249
A2	5905167769256
A3	5905167769263
2	5905167769287
3	5905167769294
4	5905167769300
7	5905167769317
9	5905167769331
11	5905167769348
12	5905167769355
14	5905167769379
16	5905167769386
19	5905167769393
20	5905167769409
23	5905167769423
25	5905167769447
26	5905167769454
27	5905167769461
29	5905167769485
30	5905167769492
31	5905167769508
32	5905167769515
39	5905167769324
40	5905167805558
41	5905167805565
42	5905167805572
43	5905167805589
44	5905167805596
45	5905167805824
46	5905167814956
47	5905167814963
48	5905167814970
49	5905167814987
50	5905167814994



12 pcs

CS3

KOLOR	0,93 m	1,86 m
A1	5905167799925	5905167800256
A3	5905167799949	5905167800270
2	5905167799963	5905167800294
3	5905167799970	5905167800300
4	5905167799987	5905167800317
7	5905167799994	5905167800324
9	5905167800003	5905167800331
11	5905167800010	5905167800348
12	5905167800027	5905167800355
14	5905167800041	5905167800379
16	5905167800058	5905167800386
19	5905167800065	5905167800393
20	5905167800072	5905167800409
23	5905167800096	5905167800423
25	5905167800102	5905167800430
26	5905167800119	5905167800447
27	5905167800126	5905167800454
29	5905167800140	5905167800478
30	5905167800157	5905167800485
31	5905167800164	5905167800492
32	5905167800171	5905167800508
39	5905167800249	5905167800577
40	5905167805657	5905167805701
41	5905167805664	5905167805718
42	5905167805671	5905167805725
43	5905167805688	5905167805732
44	5905167805695	5905167805749
45	5905167805817	5905167805800
46	5905167815007	5905167815052
47	5905167815014	5905167815069
48	5905167815021	5905167815076
49	5905167815038	5905167815083
50	5905167815045	5905167815090



12 pcs

12 pcs

CS22

KOLOR	1,86 m
A1	5905167815496
A2	5905167815502
2	5905167815519
3	5905167815526
4	5905167815533
7	5905167815540
9	5905167815557
11	5905167815564
12	5905167815571
14	5905167815588
16	5905167815595
19	5905167815601
20	5905167815618
23	5905167815625
25	5905167815632
26	5905167815649
27	5905167815656
29	5905167815663
30	5905167815670
31	5905167815687
32	5905167815694
39	5905167815700
40	5905167815717
41	5905167816721
42	5905167816738
43	5905167816745
44	5905167816752
45	5905167816769
46	5905167816776
47	5905167816783
48	5905167816790
49	5905167816806
50	5905167816813



12 pcs

PRO SYSTEM

Professional solutions has never been so easy

This offer is for the most demanding customers. If you are looking for a professional solution at its best style.

The PRO SYSTEM offer includes precise and elegant solutions of the most common problems. In PRO SYSTEM you will find the perfect masking of 10mm LVT / RIGID dilatation or aesthetic connection of a hard floor with a carpet. 6 selected shapes - Professional solutions has never been so easy

**ELEGANT,
PRECISE
SOLUTION**




**MINIMUM STOCK,
MAXIMUM ROTATION
6 SHAPES IN 2 COLORS**


PRO SYSTEM are specially designed profiles. All it takes is 6 shapes to satisfy even the most demanding clients. Professional solution has never been so easy



UNIVERSAL, MODERN COLORS



B1 | Brushed Silver




B3 | Brushed Titanium





PRO20

DILATATION OR FINISHING



MAX
DILATATION
10mm

INOX
COLOR
+++

PROFI
SOLUTION

DILATATION
GLUE

- CONNECTING FLOORS OF THE SAME LEVEL
- FINISHING AT THE BALCONY DOOR
- ASSEMBLY ON GLUE

PRO-T

DILATATION



MAX
DILATATION
16mm


INOX
COLOR
+++

PROFI
SOLUTION

- CONNECTING FLOORS OF THE SAME LEVEL
- ASSEMBLY ON GLUE

PRO26

LEVELING UP TO 6MM



MAX
LEVELING
6mm

MAX
DILATATION
10mm

DILATATION
GLUE

INOX
COLOR
+++

PROFI
SOLUTION

- CONNECTING FLOORS WITH SMALL LEVEL DIFFERENCE
- ASSEMBLY ON GLUE

PRODUO22

CONNECTION WITH CARPET



MAX
DILATATION
16mm

DILATATION
GLUE

- CONNECTION WITH CARPET AT THE SAME LEVEL
- TWO-PARTS SOLID INSTALLATION SYSTEM
- ASSEMBLY ON GLUE OR SCREWS

PRODUO38

LEVELING FLOORS



MAX
LEVELING
16mm

MAX
DILATATION
32mm

DILATATION
GLUE

INOX
COLOR
+++

PROFI
SOLUTION

- CONNECTION OF THE HARD FLOOR WITH CARPETS WITH A LARGE DIFFERENCE IN LEVELS
- TWO-PARTS SOLID INSTALLATION SYSTEM
- ASSEMBLY ON GLUE OR SCREWS

PRO-L

FINISHING




MAX
DILATATION
15mm

INOX
COLOR
+++

PROFI
SOLUTION

- FINISHING AT THE BALCONY DOOR OR FURNITURE BASES
- GLUE ASSEMBLY

PRO20





MAX
DILATATION
10mm

INOX
COLOR
+++

PROFI
SOLUTION
○○○

DILATATION
GLUE

DIMENSIONS




COLORS

	0,93 m	1,86 m	2,79 m
B1	5905167800911	5905167800942	5905167800928
B3	5905167800935	5905167800966	5905167800959
	12 pcs	12 pcs	12 pcs



PRO T





MAX
DILATATION
16mm

INOX
COLOR
+++

PROFI
SOLUTION

DIMENSIONS



COLORS

	0,93 m	1,86 m	2,79 m
B1	5905167815458	5905167815472	5905167816820
B3	5905167815465	5905167815489	5905167816837
	12 pcs	12 pcs	12 pcs

PRO26



MAX
LEVELING
6mm


MAX
DILATATION
10mm

DILATATION
GLUE

INOX
COLOR
+++

PROFI
SOLUTION

DIMENSIONS



COLORS

	0,93 m	1,86 m	2,79 m
B1	5905167800973	5905167801000	5905167800980
B3	5905167800997	5905167801024	5905167801017
	12 pcs	12 pcs	12 pcs







PRODUO22



MAX
DILATATION
16mm

DILATATION
GLUE


DIMENSIONS



COLORS

	0,93 m	1,86 m	2,79 m
B1	5905167815106	5905167815120	5905167801154
B3	5905167815113	5905167815137	5905167801178
	12 pcs	12 pcs	12 pcs

PRODUO38



MAX
LEVELING
16mm



MAX
DILATATION
32mm

DILATATION
GLUE




INOX
COLOR
+++

PROFI
SOLUTION

DIMENSIONS



COLORS

	0,93 m	1,86 m	2,79 m
B1 	5905167815144	5905167801109	5905167801093
B3 	5905167815151	5905167815168	5905167801116
	12 pcs	12 pcs	12 pcs



PRO-L







YOU CAN INSTALL
IN 2 WAYS

MAX
DILATATION
15mm

INOX
COLOR
+++

PROFI
SOLUTION

DIMENSIONS




COLORS

	0,93 m	1,86 m	2,79 m
B1	5905167801048	5905167801031	5905167801079
B3	5905167801062	5905167801055	5905167801086
	12 pcs	12 pcs	12 pcs


COMPLEMENTARY OFFER

DILATATION PROFILES




LEVELING PROFILES





STAIRS PROFILES





FINISHING PROFILES

T16



MAX
DILATATION
10mm

DIMENSIONS



COLORS

		1,00 m	2,00 m			1,00 m	2,00 m
A1		5905167768327	5905167768471	W5		5905167768396	5905167768549
A2		5905167768334	5905167768488	W6		5905167768402	5905167768556
A3		5905167768341	5905167768495	W8		5905167768426	5905167768570
W1		5905167768358	5905167768501	W9		5905167768433	5905167768587
W2		5905167768365	5905167768518	W10		5905167768440	5905167768594
W3		5905167768372	5905167768525	W11		5905167768457	5905167768600
W4		5905167768419	5905167768563	W25		5905167768389	5905167768532
				W27		5905167768464	5905167768617
		12 pcs	12 pcs			12 pcs	12 pcs





FL16



MAX
LEVELING
10mm

DIMENSIONS




COLORS

		2,50 m
W1		5905167677056
W2		5905167677049
W3		5905167677063
W4		5905167768631
W5		5905167677025
W6		5905167685266
		4 pcs

		2,50 m
W8		5905167685259
W9		5905167353424
W10		5905167677087
W11		5905167685273
W25		5905167768624
W27		5905167768648
		4 pcs



SM1



MAX
DILATATION
24mm

SILICONE
BARRIER
000

DIMENSIONS





COLORS

	0,93 m	1,86 m	2,79 m		0,93 m	1,86 m	2,79 m		
A1		5905167035818	5905167035610	5906735611823	W6		5905167684436	5905167684450	-
A2		5905167035825	5905167035627	5906735611830	W8		5905167684429	5905167684443	-
A3		5905167686317	5905167686324	5905167686331	W9		5906735624472	5906735624489	-
W1		5905167674734	5905167674819	-	W10		5905167674765	5905167674840	-
W2		5905167674727	5905167674802	-	W11		5907749024326	5907749024340	-
W3		5905167674741	5905167674826	-	W25		5905167768143	5905167768174	-
W4		5905167768150	5905167768181	-	W27		5905167768167	5905167768198	-
W5		5907749015508	5907749015539	-					
		12 pcs	4 pcs	4 pcs		12 pcs	4 pcs	-	


PR3




DIMENSIONS



COLORS

	0,93 m	1,86 m
A1	5906735611175	5906735611205
A2	5906735611182	5906735611212
A3	5905167686515	5905167686522
	12 pcs	4 pcs



PR3K





MAX
DILATATION
24mm

DILATATION
GLUE

DIMENSIONS



COLORS

	0,93 m	1,86 m		0,93 m	1,86 m
A1	5906735611267	5906735611298	W6	5905167684566	5905167684597
A3	5905167689455	5905167689462	W8	5905167684559	5905167684580
W1	5905167675212	5905167675298	W9	5906735624236	5906735624243
W2	5905167675205	5905167675281	W10	5905167675243	5905167675328
W3	5905167675229	5905167675304	W11	5905167684542	5905167684573
W4	5905167766446	5905167766477	W25	5905167766439	5905167766460
W5	5905167675182	5905167675267	W27	5905167766453	5905167766484
	12 pcs	4 pcs		12 pcs	4 pcs



PR8







MAX
LEVELING
10mm

MAX
DILATATION
32mm

SILICONE
BARIER
000

DIMENSIONS



COLORS

		0,93 m	1,86 m
A1		5905167767696	5905167767726
A2		5905167767702	5905167767733
A3		5905167767719	5905167767740
		12 pcs	12 pcs

SM2





MAX
LEVELING
13mm

MAX
DILATION
35mm

SILICONE
BARIER
OOO

DIMENSIONS



COLORS

	0,93 m	1,86 m	2,79 m		0,93 m	1,86 m	2,79 m
A1	5905167033814	5905167033616	5906735612035	W6	5905167684498	5905167684511	5905167788196
A2	5905167033821	5905167033623	5906735612042	W8	5905167684481	5905167684504	5905167788202
A3	5905167686348	5905167686355	5905167686362	W9	5906735625318	5906735625325	5905167788219
W1	5905167674970	5905167675052	5905167788141	W10	5905167675007	5905167675083	5905167788226
W2	5905167674963	5905167675045	5905167788158	W11	5907749024388	5907749024401	5905167788233
W3	5905167674987	5905167675069	5905167788165	W25	5905167768204	5905167768235	5905167788240
W4	5905167768211	5905167768242	5905167788172	W27	5905167768228	5905167768259	5905167788257
W5	5907749015591	5907749015621	5905167788189				
	12 pcs	4 pcs	4 pcs		12 pcs	4 pcs	4 pcs



SM3





MAX
LEVELING
17mm

MAX
DILATATION
41mm

SILICONE
BARIER
○○○

DIMENSIONS



COLORS

	0,93 m	1,86 m	2,79 m
A1	5905167036815	5905167033616	5906735626902
A2	5905167036822	5905167033623	5906735626957
A3	5905167686379	5905167686355	5905167686393
W1	5905167675694	5905167675052	-
W2	5905167675687	5905167675045	-
W3	5905167675700	5905167675069	-
W4	5905167768273	5905167768242	-
W5	5907749015683	5907749015621	-
	12 pcs	4 pcs	4 pcs

	0,93 m	1,86 m	2,79 m
W6	5905167684733	5905167684511	-
W8	5905167684726	5905167684504	-
W9	5906735625431	5906735625325	-
W10	5905167675724	5905167675083	-
W11	5907749024449	5907749024401	-
W25	5905167768266	5905167768235	-
W27	5905167768280	5905167768259	-
	12 pcs	4 pcs	4 pcs



PR4




MAX
LEVELING
14mm

MAX
DILATATION
42mm

DIMENSIONS



COLORS

	0,93 m	1,86 m
A1	5906735611366	5906735611397
A2	5906735611373	5906735611403
A3	5905167686546	5905167686553
	12 pcs	4 pcs





PR10



MAX
LEVELING
10mm

MAX
DILATATION
64mm

DIMENSIONS



COLORS

		0,93 m	1,86 m
A1		5905167767788	5905167767818
A2		5905167767795	5905167767825
A3		5905167767801	5905167767832
		8 pcs	4 pcs



PS1K



MAX
DILATATION
20mm

SILICONE
BARRIER
○○○

DIMENSIONS



COLORS


		1,20 m	2,40 m		1,20 m	2,40 m	
A1		5905167815175	5905167815311	W6		5905167815243	5905167815380
A3		5905167815182	5905167815328	W8		5905167815250	5905167815397
W1		5905167815199	5905167815335	W9		5905167815267	5905167815403
W2		5905167815205	5905167815342	W10		5905167815274	5905167815410
W3		5905167815212	5905167815359	W11		5905167815281	5905167815427
W4		5905167815229	5905167815366	W25		5905167815298	5905167815434
W5		5905167815236	5905167815373	W27		5905167815304	5905167815441
		12 pcs	4 pcs			12 pcs	4 pcs



CS2



DIMENSIONS



COLORS

1,20 m

A1		5905167769577
A2		5905167769584
A3		5905167769591
01		5905167769607
02		5905167769614
03		5905167769621



4 pcs

1,20 m

04		5905167769638
09		5905167769669
26		5905167769782
29		5905167769812
30		5905167769829
31		5905167769836




4 pcs

PS2



DIMENSIONS



COLORS


		1,20 m
A1		5905167767962
A3		5905167767986
		4 pcs



PS8



DIMENSIONS




COLORS


1,20 m

A1		5905167768020
A3		5905167768044
		4 pcs

PS6




DIMENSIONS



COLORS

		1,20 m
A1		5905167768082
A3		5905167768105
		4 pcs

COLOR AVAILABLE IN COLOR SYSTEM CS1, CS3*, CS22* (*NOT AVAILABLE IN GOLD)



COLOR AVAILABLE IN SM1, PR3K, T16, FL1, T22*(*NOT AVAILABLE IN GOLD), SM2, SM3, PS1K



COLOR AVAILABLE PR3, PR8, PR4, PR10, PS1, PS2, PS8, PS6



COLOR AVAILABLE IN PRO20, PRO26, PRODUO22, PRODUO38, PRO-, PRO-T



CHECK OUR COMPLEMENTARY PRODUCTS:



UNDERLAYS



SKIRTING BOARDS



FULL RIGID FLOORS



The catalogue is a free of charge presentation of products of Decora S.A. and acc. to valid law it is not a commercial offer. Colors and textures of the products in pictures may differ from real ones because of limited printing technologies. Decora S.A. reserves its right to alter availability of the products on some markets and at some distributors. The products included in the catalogues do not pose a complete offer of Decora S.A.